

AMENDMENTS TO THE SPECIFICATION:

Please amend the specification as follows:

Please replace the paragraph on page 13, line 23 through page 14, line 15, with the following:

3. The photosensitive resin composition set forth in item 1, wherein the above described organic silicon compound (c) comprises a silicone compound represented by the average composition formula (1):



wherein R represents one or more hydrocarbon groups selected from the group consisting of a linear or branched alkyl group(s) having 1 to 30 carbon atoms, a cycloalkyl group(s) having 5 to 20 carbon atoms, an alkyl group(s) having 1 to 30 carbon atoms (the number of carbon atoms before the alkyl group is substituted) unsubstituted or substituted with alkyl group(s) having 1 to 20 carbon atoms, an alkoxy group(s) having 1 to 20 carbon atoms or an aryl group, an unsubstituted or substituted alkyl group(s) having 1 to 20 carbon atoms, an alkoxy group(s) having 1 to 20 carbon atoms, an alkyl group(s) substituted with an aryl group and having 1 to 30 carbon atoms (the number of carbon atoms before the alkyl group is substituted, an aryl group(s) substituted with a halogen atom and having 6 to 20 carbon atoms, an alkoxy carbonyl group(s) having 2 to 30 carbon atoms, a monovalent group(s) containing a carboxyl group or a salt thereof, a monovalent group(s) containing a sulfo group or a salt thereof, and a polyoxyalkylene group(s),

Please replace the paragraph on page 14, line 16 through page 15, line 2, with the following:

Q and X each represent one or more hydrocarbon groups selected from the group consisting of a hydrogen atom, a linear or branched alkyl group(s) having 1 to 30 carbon atoms, a cycloalkyl group(s) having 5 to 20 carbon atoms, an alkyl group(s) having 1 to 30 carbon atoms unsubstituted or substituted with alkyl group(s) having 1 to 20 carbon atoms, an alkoxy group(s) having 1 to 20 carbon atoms or an aryl group, an unsubstituted or substituted alkyl group(s) having 1 to 20 carbon atoms, an alkoxy-
~~group(s) having 1 to 20 carbon atoms, an alkyl group(s) substituted with an aryl group and having 1 to 30 carbon atoms,~~ an aryl group(s) substituted with a halogen atom and having 6 to 20 carbon atoms, an alkoxy carbonyl group(s) having 2 to 30 carbon atoms, a monovalent group(s) containing a carboxyl group or a salt thereof, a monovalent group(s) containing a sulfo group or a salt thereof, and a polyoxyalkylene group(s), and

Please replace the paragraph on page 23, lines 2-17, with the following:

(In the formulae, R_1 each independently represents one or more hydrocarbon groups selected from the group consisting of a hydrogen atom, linear or branched alkyl groups having 1 to 30 carbon atoms, cycloalkyl groups having 5 to 20 carbon atoms, an alkyl group(s) having 1 to 30 carbon atoms (the number of carbon atoms before the alkyl group is substituted) unsubstituted or substituted with alkyl group(s) having 1 to 20 carbon atoms, an alkoxy group(s) having 1 to 20 carbon atoms or an aryl group,
~~unsubstituted or substituted alkyl groups having 1 to 20 carbon atoms, alkoxy groups having 1 to 20 carbon atoms, alkyl groups substituted with an aryl group and having 1 to~~

30 carbon atoms (the number of carbon atoms before the alkyl is substituted), aryl groups substituted with a halogen atom and having 6 to 20 carbon atoms, alkoxy carbonyl groups having 2 to 30 carbon atoms, monovalent groups containing a carboxyl group or a salt thereof, monovalent groups containing a sulfo group or a salt thereof, and polyoxyalkylene groups.)

Please replace the paragraph on page 23, line 19 through page 24, line 10, with the following:

The above described silicone compound is represented by the average composition formula (1).



(In the formula, R represents one or more hydrocarbon groups selected from the group consisting of linear or branched alkyl groups having 1 to 30 carbon atoms, cycloalkyl groups having 5 to 20 carbon atoms, an alkyl group(s) having 1 to 30 carbon atoms (preferably 2 to 30 carbon atoms) (the number of carbon atoms before the alkyl group is substituted) unsubstituted or substituted with alkyl group(s) having 1 to 20 carbon atoms, an alkoxy group(s) having 1 to 20 carbon atoms or an aryl group, unsubstituted or substituted alkyl groups having 1 to 20 carbon atoms, alkoxy groups having 1 to 20 carbon atoms, alkyl groups substituted with an aryl group and having 1 to 30 carbon atoms (preferably 2 to 30 carbon atoms) (the number of carbon atoms before the alkyl group is substituted), aryl groups substituted with a halogen atom and having 6 to 20 carbon atoms, alkoxycarbonyl groups having 2 to 30 carbon atoms, monovalent groups

containing a carboxyl group or a salt thereof, monovalent groups containing a sulfo group or a salt thereof, and polyoxyalkylene groups.

Please replace the paragraph on page 24, line 12 through page 25, line 1, with the following:

Q and X each represent one or more hydrocarbon groups selected from the group consisting of hydrogen, linear or branched alkyl groups having 1 to 30 carbon atoms, cycloalkyl groups having 5 to 20 carbon atoms, an alkyl group(s) having 1 to 30 carbon atoms (the number of carbon atoms before the alkyl group is substituted), unsubstituted or substituted with alkyl group(s) having 1 to 20 carbon atoms, an alkoxy group(s) having 1 to 20 carbon atoms or an aryl group, unsubstituted or substituted alkyl groups having 1 to 20 carbon atoms, alkoxy groups having 1 to 20 carbon atoms, alkyl groups substituted with an aryl group and having 1 to 30 carbon atoms (the number of carbon atoms before the alkyl group is substituted), aryl groups substituted with a halogen atom and having 6 to 20 carbon atoms, alkoxycarbonyl groups having 2 to 30 carbon atoms, monovalent groups containing a carboxyl group or a salt thereof, monovalent groups containing a sulfo group or a salt thereof, and polyoxyalkylene groups, and p, r and s are numbers satisfying the formulas:

$$0 < p < 4,$$

$$0 \leq r < 4,$$

$$0 \leq s < 4, \text{ and}$$

$$(p + r + s) < 4.)$$